

Objects in C++

Classes and Data Abstraction

C++ Object System

- Object-oriented features
 1. Classes and Data Abstraction
 2. Encapsulation
 3. Inheritance
 - Single and multiple inheritance
 - Public and private base classes
- Objects, with dynamic lookup of virtual functions
- Subtyping
 - Tied to inheritance mechanism

Abstraction

- **Abstraction** means that implementation details are hidden inside a program unit with a *specific interface*.
- For objects, **the interface** consists of a set of public functions (or methods) that manipulate hidden data.
- Abstraction involves restricting access to a program component according to its specified interface.

C++: Classes and Data Abstraction

- C++ supports **Object-Oriented Programming (OOP)**
- OOP models real-world objects with software counterparts
- OOP encapsulates **data (attributes)** and **functions (behavior)** into packages called **objects**
- Objects have the property of **information hiding**

C++: Classes and Data Abstraction

- Objects communicate with one another across **interfaces**
- The interdependencies between the classes are identified
 - makes use of
 - a part of
 - a specialisation of
 - a generalisation of
 - etc.

C and C++

- C programmers concentrate on writing functions
- C++ programmers concentrate on creating their own **user-defined types** called **classes**
- Classes in C++ are a natural evolution of the C notion of **struct**

A User-Defined Type Time with a struct

```
// Create a structure, set its members, and print it
// structure definition
struct Time {
    int hour; // 0-23
    int minute; // 0-59
    int second; // 0-59
};

void printMilitary(const Time &); // prototype
void printStandard(const Time &); // prototype
```

```
main()
```

```
{
```

```
    Time dinnerTime; // variable of new type Time
```

```
    // set members to valid values
```

```
    dinnerTime.hour = 18;
```

```
    dinnerTime.minute = 30;
```

```
    dinnerTime.second = 0;
```

```
    cout << "Dinner will be held at";
```

```
    printMilitary(dinnerTime); // 18:30:00
```

```
    cout << " military time,\nwhich is ";
```

```
    printStandard(dinnerTime); // 6:30:00 PM
```

```
    cout << " standard time." << endl;
```



adds a newline ("\n") and flushes the buffer


```
// set members to invalid values
dinnerTime.hour = 29;
dinnerTime.minute = 73;
dinnerTime.second = 103;

cout << "\nTime with invalid values: ";
printMilitary(dinnerTime); // 29:73:103 bad values!
cout << endl;

return 0;
} // end main
```

```
// Print the time in military format
void printMilitary(const Time &t)
{
    cout << (t.hour < 10 ? "0" : "") << t.hour << ":"
    << (t.minute < 10 ? "0" : "") << t.minute << ":"
    << (t.second < 10 ? "0" : "") << t.second;
}
```

```
// Print the time in standard format
void printStandard(const Time &t)
{
    cout << ((t.hour == 0 || t.hour == 12) ? 12 :
t.hour % 12)
    << ":" << (t.minute < 10 ? "0" : "") << t.minute
    << ":" << (t.second < 10 ? "0" : "") << t.second
    << (t.hour < 12 ? " AM" : " PM");
}
```

Comments

- Initialization is not required --> can cause problems
- A program can assign **bad** values to members of Time
- If the implementation of the **struct** is changed, all the programs that use the **struct** must be changed [No “interface”]

A Time Abstract Data Type with a Class

```
#include <iostream.h>
// Time abstract data type (ADT) definition
class Time {
public:
    Time();           // default constructor
    void setTime(int, int, int);
    void printMilitary();
    void printStandard();
private:
    int hour;        // 0 - 23
    int minute;      // 0 - 59
    int second;      // 0 - 59
};
```

```
// Time constructor initializes each data member to zero.
// No return value
// Ensures all Time objects start in a consistent state.
Time::Time() { hour = minute = second = 0; }

// Set a new Time value using military time.
// Perform validity checks on the data values.
// Set invalid values to zero (consistent state)
void Time::setTime(int h, int m, int s)
{
    hour = (h >= 0 && h < 24) ? h : 0;
    minute = (m >= 0 && m < 60) ? m : 0;
    second = (s >= 0 && s < 60) ? s : 0;
}
```

```
// Print Time in military format
```

```
void Time::printMilitary()
```

```
{
    cout << (hour < 10 ? "0" : "") << hour << ":"
    << (minute < 10 ? "0" : "") << minute << ":"
    << (second < 10 ? "0" : "") << second;
}
```

```
// Print time in standard format
```

```
void Time::printStandard()
```

```
{
    cout << ((hour == 0 || hour == 12) ? 12 : hour % 12)
    << ":" << (minute < 10 ? "0" : "") << minute
    << ":" << (second < 10 ? "0" : "") << second
    << (hour < 12 ? " AM" : " PM");
}
```

```
// Driver to test simple class Time
main()
{
    Time t; // instantiate object t of class Time

    cout << "The initial military time is ";
    t.printMilitary(); // 00:00:00
    cout << "\nThe initial standard time is ";
    t.printStandard(); // 12:00:00 AM

    t.setTime(13, 27, 6);
    cout << "\n\nMilitary time after setTime is ";
    t.printMilitary(); // 13:27:06
    cout << "\nStandard time after setTime is ";
    t.printStandard(); // 1:27:06 PM
}
```

```
t.setTime(99, 99, 99);
// attempt invalid settings
cout << "\n\nAfter attempting invalid settings:\n"
      << "Military time: ";
t.printMilitary(); // 00:00:00
cout << "\nStandard time: ";
t.printStandard(); // 12:00:00 AM
cout << endl;

return 0;
} // end main
```


Output

- The initial military time is 00:00:00
- The initial standard time is 12:00:00 AM

- Military time after setTime is 13:27:06
- Standard time after setTime is 1:27:06 PM

- After attempting invalid settings:
 - Military time: 00:00:00
 - Standard time: 12:00:00 AM

Comments

- `hour`, `minute`, and `second` are **private** data members. They are normally **not** accessible outside the class. **[Information Hiding]**
- Use a **constructor** to initialize the data members. This ensures that the object is in a consistent state when created.
- Outside functions set the values of data members by calling the `setTime` method, which provides **error checking**.

Classes as User-Defined Types

- Once the class has been defined, it can be used as a type in declarations as follows:

```
Time sunset           //object of type Time
Time arrayOfTimes[5] //array of Time objects
Time *pointerToTime  //pointer to a Time object
```

Using Constructors

- Constructors can be overloaded, providing several methods to initialize a class.

Interface

```
Time();           // default constructor  
Time(int hr);  
Time(int hr, int min, int sec);
```

Implementation

```
Time::Time(){ hour = minute = second = 0; }  
Time::Time(int hr) { setTime(hr, 0, 0); }  
Time::Time(int hr, int min, int sec)  
    { setTime(hr, min, sec); }
```

Using Constructors

```
Time t1; // Time() is invoked
```

```
Time t1(); //ERROR, intended as a funct prototype
```

```
Time t2(08); // class_name object_name(values)
```

```
Time t2 = Time(08);
```

```
Time t2 = 08;
```

```
Time t2 = (Time) 08; // cast
```

```
Time t3(08,15,04);
```

```
Time t3 = Time(08,15,04);
```

Using Constructors and dynamic objects

```
Type_name * pointer_name;  
Pointer_name = new Type_name;
```

where Type is a Class or a primitive type

```
int *ptr;  
ptr = new int;
```

```
Time *t;  
t = new Time;           // Time() is invoked  
t = new Time(08);       // Time(int) is invoked  
t = new Time(08,15,04); // Time(int, int, int)  
                        // is invoked
```

Using Constructors and array of objects

```
Time arrayOfTimes[5]; //Time() is invoked
```

Explicit array initialization:

```
//Only the first four elements are initialized  
//Time() (if any) is invoked for the other elements  
Time arrayOfTimes[8] = { 3, Time(05), Time(),  
    Time(01,12,03)}
```

Using Constructors and dynamic arrays

```
Time *t = new Time[8];  
// Time() is invoked for each element
```

```
int i = 3;  
Time (*t) [20] = new Time[3*i] [20];  
// Multi-dimension array  
// Time() is invoked for each element
```

positive, can be variable

positive, constant

In both cases, explicit initialization is not allowed!

The constructor initializer list

- A list of “**constructor calls**” that appears only **in the definition of the constructor** – after the argument list
- The initialization in the list is executed before any of the main constructor code.
- This is the place to put all **const** initializations, primitive type variables and object variables, **except arrays**.

```
class Info
private:
    const int i;
    double m;
    Time t;
Public:
    Info(); // default constructor
};
```

```
Info::Info(int j, double n) : i(j), m(n), t(i) {}
```

Destructors (1)

- To guarantee cleanup when using dynamic memory
- Destroy objects by
 - Calling the destructors of of object member variables
 - Calling superclass destructors (if virtual)
- The destructor is called
 - At the end of object lifetime
 - Or during a call to delete
- Normaly the is no need to call the destructor explicitly



Destructors (2)

- A public function member `~class_name` with no parameters and no return values

```
Class_name::~~class_name() {  
    //delete operations  
    ...  
}
```

- Operator **delete**

- can be called only for an object created by **new**

```
delete ptr;  
delete [] ptr;
```

new() and delete() (1)

- For each new statement, you must provide exactly one corresponding delete statement
- Failing to do so causes memory and resource leaks and can cause undefined behavior ...

new() and delete() (2)

- Allocating memory

- `int* myInt = new int;`

- `int* myIntArray = new int[10];`

- Deallocating memory

- `delete myInt;`

- `delete[] myIntArray;`

Deleting zero pointers

**If the pointer you're deleting is zero,
nothing will happen.**

**For this reason, people often recommend setting a
pointer to zero immediately after you delete it,
to prevent deleting it twice.**

```
delete p;  
p = 0;
```

**Deleting an object more than once
is definitely a bad thing to do,
and will cause problems.**

Function Declaration

- A function is declared by

```
returnType funcName(  
    typename arg1, ...,  
    typename argN)
```

- Member function can include a const modifier in their signature

```
void helloWorld::sayHello(void) const
```

- A const method cannot modify class members
- private/protected/public modifier are not part of the function declaration

Function declaration: *const* modifier

```
#include <iostream.h>
```

```
Class Car{  
    private:  
        int lenght;  
        double weight;  
    public:  
        int fun_weight(double) const;  
};
```

```
int Car::fun_weight(double new_weight) const  
{  
    // weight++; ERROR  
    new_weight += weight;  
    return (int) new_weight;  
}
```


Function Declaration

Examples

```
void
```

```
double multiply(const double fac1,  
               const double fac2);
```

pass-by-value

pass-by-reference *

```
void addHeader(void* buf, const Date& date);
```

```
int main(int argc, char* argv[]);
```

```
int main(int argc, char** argv);
```

pass-by-reference &

In future!!

```
void doSomething(SomeBigObject bo);
```

```
void doSomething(SomeBigObject* bo);
```

```
void doSomething(SomeBigObject& bo);
```

Call by value

- Called function has its own local copy of the data
 - Changes to the data are local and
 - Will be discarded as soon as the namespace is left
- (highly) inefficient with large objects

Call by reference

- passes memory address of variables to the function (word-size variable)
- very efficient
 - allows variable modification avoiding double-copy
- Two possible realisations in C++
 - `void doSomething(Data* data);`
 - pointer-based
 - advantages and drawbacks of pointer approach
 - `void doSomething(Data& data);`
 - reference-based
 - no null-checking necessary

pass-by-reference &

In future!!

Object Variable Classification (like in C)

- Extern variables **double x**
 - global variables, the prefix *extern* when declared by other files
- Static extern variables **static double x**
 - global variables, but can't be used by other files
 - are zero-initialized by default
- Automatic internal variables
 - defined within a function/block
- Static internal variables
 - like static external variables,
 - but defined within a function/block
 - retains its state between calls to the function

```
int count_calls()
{ static int
  calls=0;

  //local static
  return ++calls; }
```

Extern variables

- file1.c: declares an external global var

```
int GlobalVariable;  
    // implicit definition  
void SomeFunction();  
// function prototype (decl.)  
  
int main() {  
    GlobalVariable = 1;  
    SomeFunction();  
    return 0;  
}
```

- file2.c uses the variable

```
extern int GlobalVariable;  
// explicit declaration  
  
void SomeFunction() {  
    // function header  
(definition)  
    ++GlobalVariable;  
}
```

Static member variables

- A *static variable*, member of a class, is a variable **shared by all objects** created from the class

```
Class Car{
    private:
        static int num_cars;
    public:
        ...
};
//Outside initialized, like an external variable,
//even if private!
int Car::num_cars = 22;
```

Static member functions (1)

- Executed in the same manner for all objects of the given class, e.g., to open a file or to set *static variables*.
- They can't:
 - access to non static variables,
 - invoke non static functions,
 - use the pointer *this*
 - be declared *virtual*
- Constructors and destructors can't be *static*

Static member functions (2)

```
#include <iostream.h>
class Car{
    private:
        static int num_cars;
    public:
        Car(); // default constructor
        static void new_car();
};
```



Static member functions (3)

```
Car::Car() { num_cars++; }
```

```
void Car::new_car(){cout << num_cars << '\n';}  
int Car::num_cars = 0; // Access to the static  
// private variable is allowed!
```

```
int main(int argc, char *argv[])  
{  
//cout << Car::num_cars; ERROR Access to a  
//private variable!  
Car a;  
Car::new_car(); // or a.new_car() bad style!  
return 0;  
}
```


Memory layout (1)



Memory layout (2)

Pointer have a constant size of 1 word (16 or 32 bit)

- reside on the stack
- point into the heap



Inline functions

- Any function defined within a class body is automatically inline, but you can also make a non-class function inline by preceding it with the **inline** keyword.

```
inline int plusOne(int x) { return ++x; }
```

```
inline int plusOne(int x); //has no effect
```

- Any behavior you expect from an ordinary function, you get from an inline function.
- The only difference is that an inline function is **expanded in place**, like a preprocessor macro in C, so the overhead of the function call is eliminated.

Default arguments

- When functions have long argument lists, it is tedious to write (and confusing to read) the function calls
 - when most of the arguments are the same for all the calls.
- A commonly used feature in C++ is called *default arguments*.
 - A *default argument* is one the compiler inserts if it isn't specified in the function call.

```
void f(int size, int initQuantity = 0);  
void g(int x, int = 0, float = 1.1);  
void h(int = 0, int x, float = 1.1); //ERROR
```

Function overloading

```
void f(int size, int initQuantity);  
void f(int size, double initQuantity);  
int f(int size, int initQuantity); //ERROR
```

- The compiler resolves the correct version of an overloaded function based on the number/type of arguments in each call
- Functions differing only in their return type cannot be overloaded.
 - Since the returned value may be implicitly converted, the compiler cannot resolve which version is intended to use
- An immediately useful place for overloading is in constructors.