

# Introduzione al corso di Informatica 3


Angelo Gargantini  
AA 2013/2014

M0 Introduzione su syllabus

# Argomenti

- Concetti generali dei linguaggi di programmazione
  - Computabilità
  - Tipi e sicurezza dei tipi
  - Visibilità, decomposizione
  - Semantica dei programmi
- Object Oriented programming
  - ereditarietà, polimorfismo
  - Java
  - C++

# Mappa del corso



# Docenti

- Io, [angelo.gargantini@unibg.it](mailto:angelo.gargantini@unibg.it)
- [cs.unibg.it/gargantini](http://cs.unibg.it/gargantini)

# Testo per info3

- Concepts in Programming Languages (Cambridge Univ Press, 2002) John C. Mitchell
- consigliato l'acquisto
- (disponibile in pdf)
- leggetelo !!!
  - Programming Language Concepts, Ghezzi e Jazayeri, Wiley
  - Programming Languages, Sebesta, Addison Wesley
  - Advances in Programming languages, Finkel, Addison Wesley - si può scaricare

# Informatica 3 - parte B

- Strutture dati e algoritmi
- Progettazione
- Alcuni argomenti di progettazione con me

A: 40 ore	B: 56 + 12 tutorato
-----------	---------------------

A: 5/12 del voto	B: 7/12 del voto
------------------	------------------

# Altre info

- ricevimento
  - Martedì pomeriggio alle 17.00
- Lezione martedì 14 → 15.30
- Laboratori, pochissime volte
  - per fare esercizi
- Dal sito web [cs.unibg.it/gargantini/](http://cs.unibg.it/gargantini/)
  - Registro: [su google calendar](#)
  - [Syllabus](#): indice degli argomenti con i riferimenti al materiale dove studiare
  - pdf delle lezioni (vecchi prima, aggiornati dopo)
  - User info30809
  - Password jcminfo3

# Esame di Info3

- L'esame è composto da quattro parti:
  - Esercizi pratici scritti
  - Esercizi pratici al computer
  - Domande orali
  - Progettini
- Peso indicativo:
  - Esame fino a 28
  - Orale + progettini (dopo circa una settimana)
    - Limite inferiore -28 (ragionevolmente 0)
    - Limite superiore +5, indicativamente:
      - 3 punti per orale (3 domande)
      - 2 punti per progettini





# Iniziamo ...

## Linguaggi di programmazione

- Libro 1.3
- wikipedia
- C'è anche una lista
- C'è anche in time table ...


1956  
1958  
1960  
1962  
1964  
1966  
1968  
1970  
1972  
1974  
1976  
1978  
1980  
1982  
1984  
1986  
1988  
1990  
1992  
1994  
1996  
1998  
2000  
2002  
2004  
2006  
2008





# Quali sono quelli più diffusi??

<http://www.tiobe.com>



# E' un po' una moda

- Year Winner
- 2012 Objective-C
- 2011 Objective-C
- 2010 Python
- 2009 Go
- 2008 C
- 2007 Python
- 2006 Ruby
- 2005 Java
- 2004 PHP
- 2003 C++

# Programming paradigms


- Procedural/Imperative-style programming
  - FORTRAN, Algol, Pascal, C, ...
- Functional/Applicative-style programming
  - LISP, Scheme, ML, Haskell, ...
- Declarative/Logic programming
  - Prolog, ...
- Object-oriented programming
  - C++, C#, Java, ...
- Hybrids
  - concurrent, parallel, dataflow, intensional, domainspecific,  
...  
scripting & extension languages

# Key language milestones

- Assembly languages
  - invented by machine designers in the early 1950s
  - shift from binary machine code to mnemonics
  - first occurrence of reusable macros & subroutines
- FORTRAN - FORMula TRANslation
  - designed by John Backus at IBM in the mid-1950s
  - first high-level “algebraic” language with a compiler
- LISP - LIST Processor
  - designed by John McCarthy in 1958
  - first language to be based on the theory of recursive functions

# FORTRAN

- John Backus, b. 1924
  - 1977 Turing Award  
On FORTRAN: “We did not know what we wanted and how to do it. It just sort of grew. The first struggle was over what the language would look like. Then how to parse expressions - it was a big problem and what we did looks astonishingly clumsy now.... ”
- Defined BNF: “The syntax and semantics of the proposed international algebraic language of the Zurich ACM GRAMM conference.” ICIIP Paris, June 1959.
  - influenced by Chomsky’s work on context-free grammars



```
<letter> ::= a | b | c | d | e | f | g | h | i | j |  
k | l | m | n | o | p | q | r | s |  
t | u | v | w | x | y | z | A | B |  
C | D | E | F | G | H | I | J | K |  
L | M | N | O | P | Q | R | S |  
T | U | V | W | X | Y | Z
```


```
<digit> ::= 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |  
9
```

```
<identifier> ::= <letter> |  
<identifier> <letter> |  
<identifier> <digit>
```



# LISP

- John McCarthy, b. 1927
  - 1971 Turing Award  
“In the course of its development the LISP system went through several stages of simplification and eventually came to be based on a scheme for representing the partial recursive functions of a certain class of symbolic expressions.”
- Recursive Functions of Symbolic Expressions and their Computation by Machine, Part I, CACM, April 1960.



# The roots of modern languages

- Algol 60 - International Algorithmic Language
  - designed by IFIP Working Group 2.1 in 1958-1960
  - earlier versions: IAL, Algol 58
  - John Backus, Peter Naur, John McCarthy, Alan Perlis & others
  - formally specified syntax using Backus-Naur Form (BNF)
  - significant influence on all of today's modern languages
  - introduced explicit variable type declarations, block structure (begin-end), nested lexical scopes & recursive procedures
- Pascal, Modula, Ada, C, C++, & Java are direct descendants of Algol
- Scheme adopted lexical scoping from Algol
- Simula 67 - first object-oriented language
  - designed by Ole-Johan Dahl and Kristen Nygaard
  - influenced all subsequent OO programming languages
  - objects & classes
  - inheritance (subtyping) & virtual methods (subtype polymorphism)

# Other important languages

- Algol-like
  - Jovial, Euler, Pascal, Algol-68, Forsythe, Clu, Ada
- Functional
  - ISWIM, FP, SASL, Miranda, Haskell
  - LCF, ML, SML, Caml, OCaml
  - Scheme, Common LISP
- Object-Oriented
  - Smalltalk, Objective-C, C++, Eiffel, Modula-3, Self, C#, CLOS
- Logic programming
  - Prolog, Gödel, LDL, automated theorem provers (ACL2)
- Research-oriented
  - Dylan, ABCL/1, ACT, and literally hundreds more ...

# Ada

- Primarily used by the US Dept of Defense
  - designed by a French language design team as part of an open competition
  - Named after Ada Byron (Lady Lovelace), 1815-1851
    - At a young age, Ada learned of Charles Babbage's ideas for a new calculating engine, the Analytical Engine. Babbage conjectured: what if a calculating engine could not only foresee but could act on that foresight. Ada was impressed by the universality of this idea. She suggested the idea of writing a plan for how this new calculating engine could be used to calculate Bernoulli numbers. This plan, is now regarded as the first "computer program."
    - see the book: Ada, The Enchantress of Numbers, by Betty Alexandra Toole



# Application specific languages




- Commercial data processing & database querying
  - Cobol, SQL, 4GLs, XQuery
- Systems programming
  - PL/I, PL/M, BCPL, BLISS, Modula, Modula-2, Oberon
- Specialized applications
  - BASIC, APL, Forth, Icon, Logo, SNOBOL4, GPSS, VisualBasic
- Concurrent, Parallel & Distributed
  - Concurrent Pascal, Concurrent C, C\*, SR, Occam, Erlang, Obliq
- Command shells, scripting & “web” languages
  - sh, csh, tcsh, ksh, zsh, bash, ...
  - Perl, Php, Python, Rexx, Ruby, Tcl, AppleScript, VBScript, etc.
  - HTML/XML are markup languages not programming languages
  - but they often imbed executable scripts like Active Server Pages (ASPs) & Java Server Pages (JSPs)
- Programming tool “mini-languages”
  - awk, make, lex, yacc, autoconf, ...

# Cobol

- Common Business Oriented Language
  - invented in the 1950's
  - primarily used for business data processing applications
  - billions spent to fix Y2K issues in old Cobol programs
- Admiral Grace Murray Hopper, 1906-1992
  - PhD Mathematics, Yale, 1934
  - joined the Navy in 1943 and worked at Harvard with Howard Aiken on the Mark I and Mark II computers
    - called the “mother of Cobol” for her contributions to the standardization of the language
    - credited with inventing an early compiler (1952)
    - She did this, she said, because she was lazy and hoped that “the programmer may return to being a mathematician.”
    - Conference on Women in Computing is regularly held in her honor “ACM Grace Murray Hopper Award”  
see <http://www.acm.org/awards> for winners



# From K&R C to ISO/ANSI C

- Brian Kernighan
  - also the 'K' in AWK
- Dennis Ritchie
  - 1983 Turing Award winner (with Ken Thompson)



# From K&R C to “C with Classes” to C++

- Bjarne Stroustrup
  - Ph.D Univ. of Cambridge
  - used Simula in Ph.D. research and he knew about BCPL
  - then he went to Bell Labs & created “C with classes” in 1979
  - ‘++’ in C++ due to A. Koenig first “Cfront” translator from C++ to C around 1983
  - released to Universities in 1985-86





# And then came Java...

- James Gosling (and “Duke”)
  - Gosling Emacs
  - Oak => Java
- Java is more influenced by C (syntax) and Modula-3 (object model) than by C++
  - Unlike C++
    - no operator overloading
    - no templates (but in Java 1.5)
    - no multiple inheritance
  - Like Modula-3
    - explicit interfaces
    - single class inheritance
    - exception handling
    - built-in threading model
    - references & automatic garbage collection (no pointers!)



# From BASIC to C# to .NET

- The “un-Java” for Windows
  - an aside: the politics of language adoption
  - use of a programming language to win the mindshare of the software developer community to gain or maintain commercial market share
  - “open” language design/evolution process vs proprietary ownership of a language
  - this is not a new thing: IBM tried to do this with PL/I in the 60s, but free implementations appeared: e.g., PL/C - Cornell PL/I
  - C# has an interesting run-time environment
    - .NET CLR - common language runtime for Visual Basic, C++, C#, and future Microsoft languages



# Why so many languages?

- In cosa differiscono tra di loro i linguaggi?
- Cosa hanno in comune?

# Alcuni concetti in comune

- Variabile
- Istruzione
  - un comando, una funzione, oppure una regola descrittiva
- Espressione
- Strutture di controllo
  - Per governare il flusso dell'esecuzione del programma,
- Sottoprogramma
  - un blocco di codice che può essere richiamato da qualsiasi altro punto del programma.
- Strutture dati
  - meccanismi che permettono di organizzare e gestire dati complessi.



# In comune - da approfondire

- Da approfondire invece abbiamo:
- Sintassi
  - Compilatore, .... --> Corso di linguaggi
  - Se volete, vedete il libro 4.1
  - Dovete sapere cosa fa un compilatore, interprete, ecc.
- Semantica di esecuzione
  - Semantica assiomatica - M7
- Tipi --> M1


# Syntax and Semantics of Programs

- Syntax
  - The symbols used to write a program
- Semantics
  - The actions that occur when a program is executed
- Programming language implementation
  - Syntax  $\rightarrow$  Semantics
  - Transform program syntax into machine instructions that can be executed to cause the correct sequence of actions to occur

# Interpreter vs Compiler



# Typical Compiler



See summary in course text, compiler books



# Syntax and correctness

- Not all the programs that are syntactically correct are correct
  - Correttezza di sintassi
    - Analisi statica
  - Con l'analisi statica posso trovare tutti gli errori nel mio programma?

# Caso del C

```
[cairngorm:scrap] cat > crash.cc  
void main() {  
    ((int *) 5)[0] = 6;  
}
```

```
[cairngorm:scrap] g++ crash.cc -o crash
```

```
[cairngorm:scrap] ./crash  
Segmentation fault
```

# Java

```
[cairngorm:scrap] cat > Crash.java
class Crash {
    static public void main(String[] args) {
        ((int[]) 5)[0] = 6;
    }
}
```

```
[cairngorm:scrap] javac Crash.java
Crash.java:3: Invalid cast from int to int[].
    ((int[]) 5)[0] = 6;
           ^
```

# Per cosa differiscono?

- Analisi
  - Analisi statica / analisi dinamica
    - Statica: analisi sul codice senza eseguirlo
    - Dinamica: durante l'esecuzione
- Espressività vs efficienza
- Le categorie sono:
  - Procedurali
    - Pascal, C, ...
  - Object oriented
    - Java, C#, ...
  - Funzionali
    - Lisp, ...
  - Logici
    - Prolog, ...

# Linguaggi funzionali


- Sez 4.4. del libro
- In molti programmi la base sono le istruzioni imperative:
  - Es:  $x := 5$
- Esistono anche dichiarazioni e definizioni ...
  - Es:  $f(\text{int } x) \{ \text{return } 5 \}$
- Si può esprimere un programma con solo dichiarazioni di funzioni?
  - Funzione: in stile matematico, dati certi input calcola un certo output
  - es.  $f(\text{int } x) = 5$ ,  $f(\text{int } x) = x * 2 + g(x-3)$
  - Sì --> LISP

# Quali famiglie sono più diffuse?

Category	Ratings	Sept 2012	Delta Sept 2011
Object-Oriented Languages		56.0%	-1,1
Procedural Languages		37.3%	-0,9
Functional Languages		3.8%	+0,6
Logical Languages		3.0%	+1,3


# Type system

Statically Typed Languages	71.0%
Dynamically Typed Languages	29.0%



# The Quiet Revolution in Programming


<http://www.drdoobbs.com/architecture-and-design/the-quiet-revolution-in-programming/240152206>



Fraction of programmers (y-axis) who spend x amount of time coding in a given language in 2010.



# The Quiet Revolution in Programming



Fraction of programmers (y-axis) who spend x amount of time coding in a given language in 2012.

- Multiple programming paradigms are changing simultaneously: the ubiquity of mobile apps; the enormous rise of HTML and JavaScript front-ends; and the advent of big data.
- 
- it's now more difficult to find programmer talent that satisfies all the needs of a project; and it's more difficult as a programmer to be deeply fluent in all the necessary languages and idioms.