

Design Pattern

Capitolo 10, sezione 10.4 esercizi 10.3 e altri

Cosa sono i design pattern

- Quando si e' cominciato a lavorare seriamente con i linguaggi ad oggetto, la gente si e' resa conto che si presentavano ad ogni programma, dei problemi ricorrenti.
- Un gruppo di 4 programmatore (la banda dei 4, GoF(Gang of Four) ha cercato di formulare una lista dei 23 **problemi piu ricorrenti (e delle loro soluzioni)** e cosi' nel 1994 sono nati i Design Patterns.

Quali design pattern vedremo

- Singleton
- Visitor
- MVC a progetto
-
- Materiale: su wikipedia o su bruce Eckel

Singleton 10.4 (pag 291)

- A single instance of the class
- Quando ho bisogno di una unica istanza di una classe
-
- In Java
 - private constructor
 - static member

```
class A{  
    private A() {...}  
    public static A instance = new A();  
}
```

Visitor Pattern es. 10.3

Synopsis

- Represent an **operation** to be performed on the elements of an object structure. Visitor lets you define a new operation without changing the classes of the elements on which it operates.

Visitor Pattern


- Problem
 - Operations on collections of objects may not apply to all objects, or apply differently to different objects
- Context
 - Object interfaces are fixed and diverse
 - Need to allow new operations, without polluting” their classes with these operations.
- Solution
 - Represent operations to be performed as visitors, with the interface of every visitor representing the different kinds of objects

Context

- You should use the Visitor pattern when:
 - Many distinct and unrelated operations need to be performed on an object structure, and you want to avoid “polluting” their classes with these operations.
 - The classes defining the object structure rarely change, but you often want to define new operations over the structure.
 - An object contains many classes of objects with differing interfaces.


Example: problem

- Imagine you have a department, with two type of employee's managers and engineer's.
- You want to add an **operation**, for example
 - You want to **take a survey** of your employee's to see how you can make there workplace better.



Possibile soluzione 1

- aggiungo l'operazione ad ogni classe:



CONTRO:

- Devo modificare le classi originali
- Se ho 10 operazioni devo modificare le classi
- Ho il codice sparso in tutte le classi

Soluzione 2

- Creo una classe (singleton) che rappresenta l'operazione:


```
Class TakeSurvey{  
    process(Manager m);  
    process(Employee e);  
    process(Engineer e);  
}
```

- Devo stare attento al single dispatch. Esempio
- Employee e = new Manager()
- TakeSurvey.getInstance().process(e) ---quale codice eseguo??
- Dovrei metter tanti **instanceof** ...

Soluzione - visitor

- The best way to do this is to have a consultant (generico) (visitor) come in and conduct the survey rather than having the two different types of do it themselves.
- Ogni classe è in grado di accettare il consulente

Visitor Example



lato Visitable

- Le classi della gerarchia devono essere visitabili:

```
interface Visitable {  
    void accept(Visitor v);  
}
```

- ogni classe originale deve implementare visitable (un metodo accept):

```
class Employee implements Visitable{  
...  
    accept(Visitor v){ v.visit(this);}  
}
```

lato visitor

- consultant deve essere un visitor

```
public interface Visitor {
```

```
    public void visit(Manager m);
```

```
    public void visit(Engineer m);
```

```
}
```

```
public class Consultant implements Visitor{
```

```
    public void visit(Engineer m){
```

```
        System.out.println("consulting engineer");
```


```
}
```

```
    public void visit(Manager m){
```

```
        System.out.println("consulting manager");
```

```
}
```

Visitor Interactions



Cosa succede con il single dispatch

- Employee e = new Manager();
- Visitor v = new TakeSurvey();
- e.accept(v)

-> va a imparare l'accept di Manager !!!


Chiamato anche “double dispatch”

Visitor Example

- After the consultant surveys the employee's, the managers realizes that the employee's are both stressed and having financial troubles.
- So the managers then bring in a masseuse to help relieve stress at the office. They also have the finance guy go around and talk to the employee's to help them out.

BASTA AGGIUNGERE UN ALTRO
VISITOR

Visitor Example



Implementation

- Esercizio 10.3 con Expression

Consequences

- Positive
 - Visitor makes adding new operations easy, simply add a new visitor that implements that operation.
 - Visitor gathers related operations and separates unrelated ones.

Consequences

- Negative
 - Visitor is not good for the situation where "visited" classes are not stable. Every time a new Composite hierarchy derived class is added, every Visitor derived class must be amended
 - Often encapsulation is broken because the element class is forced to provide public operations that access internal state.
 - If using an existing system changes will be required to existing code.

Related Patterns

- **Iterator**
 - The iterator pattern is an alternative to the Visitor pattern when the object structure to be navigated has a linear structure.
- **Composite**
 - The visitor pattern is often used with object structures that are organized according to the composite pattern.

Come fare restituire un valore da un visitor

Normalmente il visitor non restituisce niente. E se devo calcolare qualcosa: come fare? due alternative

2. modifica di visit

- ❑ definire i metodi visit che restutiscano un valore
- ❑ ad esempio restituiscano un Object
 - Object visit(X...);
- ❑ poi faccio il cast sapendo cosa effettivamente restituisce

3. aggiungere un campo e un metodo

- ❑ campo result, che viene settato alla fine della visita
- ❑ getResult che restituisce il risultato della visita

visitor e generics

- L'alternativa è dichiarare il Visitor generico rispetto il tipo che restituisce:

```
public interface Visitor <T> {  
    public T visit(Manager m);  
    public T visit(Engineer e);  
}  
// if the visitor returns a String  
public class Consultant implements Visitor<String>{  
  
    public String visit(Engineer m){  
        return "consulting engineer" );  
    }  
....
```

Generic Visitable

- And a generic Visitable with a generic method

```
interface Visitable{
    public <T> T accept(Visitor<T> ask);
}

class Manager implements Visitable{
    public <T> T accept(Visitor<T> ask) {
        return ask.visit(this);
    }
}
} ...
```

Reflection

- Nota che in Java si può usare la reflection per implementare il double dispatch invece che l'uso del pattern !!!