# 5. Model based testing

Angelo Gargantini

Testing e verifica del software

AA 2022-23

### Section 1

What is model-based testing

# What is model-based testing


Model-based testing has become a bit of a buzzword in recent years, and we have noticed that people are using the term for a wide variety of test generation techniques. The following are the four main approaches known as model-based testing.

- 1. Generation of test input data from a domain model
- 2. Generation of test cases from an environment model
- 3. Generation of test cases with oracles from a behavior model
- 4. Generation of test scripts from abstract tests

### Section 2

model-based testing process

## Model-Based testing process



### steps for MBT

- 1. Model the SUT and/or its environment.
- 2. Generate abstract tests from the model.
- 3. Concretize the abstract tests to make them executable.
- 4. Execute the tests on the SUT and assign verdicts.
- 5. Analyze the test results.

# 1. Writing the model

- ► The first step of model-based testing is to write an abstract model of the system that we want to test.
  - ABSTRACT: much smaller and simpler than the SUT itself.
- check that the model is consistent and has the desired behavior.
  - ► for example using the simulator/animator (and model checker)

# Generating abstract tests

- ► The second step of model-based testing is to generate abstract tests from the model.
- ▶ Use some selection criteria for "covering" the model

### Test concretization

- ► The third step of model-based testing is to transform the abstract tests into executable concrete tests.
- abstract tests lack some of the detail needed by the SUT and are not directly executable.
  - spesso fatto a mano (time consuming)
  - ► This may be done by a transformation tool, which uses various templates and mappings to translate each abstract test case into an executable test script.
  - Or it may be done by writing some adaptor code that wraps around the SUT and implements each abstract operation in terms of the lower-level SUT facilities.

#### Test execution

- ► The fourth step is to execute the concrete tests on the system under test.
  - online model-based testing, the tests will be executed as they are produced, so the model-based testing tool will manage the test execution process and record the results.
  - offline model-based testing, we have just generated a set of concrete test scripts in some existing language, so we can continue to use our existing test execution tools and practices.

#### Section 3

Modelling your system

# How to model your system

- The first and most important step in modeling a system for testing is deciding on a good level of abstraction, that is, deciding which aspects of the SUT to include in your model and which aspects to omit.
  - Since the model is just for test generation purposes, it does not have to specify all the behavior of the system.
  - Several smaller partial models are often more useful than one huge and complex model.
- ► The following are some typical simplifications:
  - ► Focus primarily on the SUT
  - Include only those operations that you wish to test
  - Include only the data that are useful for modeling the behavior of the operations
  - Replace a complex data field, or a class, by a simple enumeration.

## Two possible choices

- 1. Model only the inputs of your program
  - focus on what are the "critical" inputs of your system and use them
  - ► PARTITION/COMBINATORIAL TESTING
- 2. Model also the behavior
  - FSM and FSM-based testing

### Section 4

Partition and Combinatorial testing

### Section 5

Test generation from FSMs