

(INFORMATICA PER LE) **DIGITAL HUMANITIES**

LECTURE 3
MARCH 8 2024

TEXT

ANALYSIS

ANNOTATION

CONVERSION

EDITING

ENCODING 

MINING

PROCESSING

RECOGNITION

TRANSCRIPTION

VISUALIZATION

TEXT

ANALYSIS

ANNOTATION

CONVERSION

EDITING

ENCODING 

MINING

PROCESSING

RECOGNITION

TRANSCRIPTION

VISUALIZATION

USASCII code chart

					0 0 0	0 0 1	0 1 0	0 1 1	1 0 0	1 0 1	1 1 0	1 1 1
					0	1	2	3	4	5	6	7
b ₄	b ₃	b ₂	b ₁	Column Row								
0	0	0	0	0	NUL	DLE	SP	0	@	P	\	p
0	0	0	1	1	SOH	DC1	!	1	A	Q	o	q
0	0	1	0	2	STX	DC2	"	2	B	R	b	r
0	0	1	1	3	ETX	DC3	#	3	C	S	c	s
0	1	0	0	4	EOT	DC4	\$	4	D	T	d	t
0	1	0	1	5	ENQ	NAK	%	5	E	U	e	u
0	1	1	0	6	ACK	SYN	&	6	F	V	f	v
0	1	1	1	7	BEL	ETB	'	7	G	W	g	w
1	0	0	0	8	BS	CAN	(8	H	X	h	x
1	0	0	1	9	HT	EM)	9	I	Y	i	y
1	0	1	0	10	LF	SUB	*	:	J	Z	j	z
1	0	1	1	11	VT	ESC	+	;	K	[k	{
1	1	0	0	12	FF	FS	,	<	L	\	l	
1	1	0	1	13	CR	GS	-	=	M]	m	}
1	1	1	0	14	SO	RS	.	>	N	^	n	~
1	1	1	1	15	SI	US	/	?	O	_	o	DEL

US-ASCII Code Chart. Scanner
copied from the material
delivered with TermiNet 300
impact type printer with
Keyboard, February 1972,
General Electric Data
communication Product Dept.,
Waynesboro, Virginia.

US-ASCII

Code Chart. Scanner

copied from the material

delivered with Term

impact type prin

Keyboard, February

General Electric

communication Prod

Waynesboro, Virginia.

**United
States
American
Standard
Code for
Information
Interchange**

Moving data is like delivering tomatoes



It's perishable

General Electric's
Terminet* 300 printers deliver
data up to three times as fast
as conventional equipment



When you're communicating data, and it's not at your computer when you need it, it's practically worthless. That's why data communication equipment must be fast . . . reliably fast.

General Electric's electronic Terminet printers give you the kind of reliability you need to keep you on line.

The kind of quietness and flexibility you want to get the most for your dollar invested. It's quieter than a standard typewriter . . . place it where the action is. Over 20 options can be added to keep you up-to-date with your system changes. Good reasons why 10,000 Terminet printers have been sold to date.

If your data are becoming perishable things, write for detailed information on Terminet printers: General Electric Company, Data Communication Products Department, Section 794-03, P. O. Box 4197, Lynchburg, Virginia 24502.

*Registered Trademark of
General Electric Company, U.S.A.

GENERAL  ELECTRIC

From “IEEE Computer”
December issue, 1975:



Bernie McMahon, center, of Boeing Aerospace Company, instructs Panama Canal employees in the use of TermiNet 300 printers. Some 140 Canal employees have received printer instruction, and more than 200 have learned the use of the new Marine Traffic Control System.



**BOO
BOEING
BOOOO!**




In a TermiNet 300 printer, letters are printed on thermal paper by a dot matrix.

matrix.

$$\begin{matrix} & \begin{matrix} 1 & 2 & \dots & n \end{matrix} \\ \begin{matrix} 1 \\ 2 \\ 3 \\ \vdots \\ m \end{matrix} & \left[\begin{array}{cccc} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ a_{31} & a_{32} & \dots & a_{3n} \\ \vdots & \vdots & \vdots & \vdots \\ a_{m1} & a_{m2} & \dots & a_{mn} \end{array} \right] \end{matrix}$$

system where a
ld allow us t
mercial supplier.




0 3 3 9


SYSTEM


2 9 9 8

system where a
ld allow us t
mercial supplier.










7
3
5
2
7





4?

1?

5?

1?

4?





TEXT

ANALYSIS

ANNOTATION

CONVERSION

EDITING

ENCODING 

MINING

PROCESSING

RECOGNITION

TRANSCRIPTION

VISUALIZATION

E

E
E

E

E

E

USASCII code chart

					0 0 0	0 0 1	0 1 0	0 1 1	1 0 0	1 0 1	1 1 0	1 1 1
					0	1	2	3	4	5	6	7
b ₄	b ₃	b ₂	b ₁	Column Row								
0	0	0	0	0	NUL	DLE	SP	0	@	P	\	p
0	0	0	1	1	SOH	DC1	!	1	A	Q	o	q
0	0	1	0	2	STX	DC2	"	2	B	R	b	r
0	0	1	1	3	ETX	DC3	#	3	C	S	c	s
0	1	0	0	4	EOT	DC4	\$	4	D	T	d	t
0	1	0	1	5	ENQ	NAK	%	5	E	U	e	u
0	1	1	0	6	ACK	SYN	&	6	F	V	f	v
0	1	1	1	7	BEL	ETB	'	7	G	W	g	w
1	0	0	0	8	BS	CAN	(8	H	X	h	x
1	0	0	1	9	HT	EM)	9	I	Y	i	y
1	0	1	0	10	LF	SUB	*	:	J	Z	j	z
1	0	1	1	11	VT	ESC	+	;	K	[k	{
1	1	0	0	12	FF	FS	,	<	L	\	l	
1	1	0	1	13	CR	GS	-	=	M]	m	}
1	1	1	0	14	SO	RS	.	>	N	^	n	~
1	1	1	1	15	SI	US	/	?	O	_	o	DEL

USASCII code chart

					0 0 0	0 0 1	0 1 0	0 1 1	1 0 0	1 0 1	1 1 0	1 1 1
					0	1	2	3	4	5	6	7
b ₄	b ₃	b ₂	b ₁	Column Row								
0	0	0	0	0	NUL	DL E	SP	0	@	P	\	p
0	0	0	1	1	SOH	DC1	!	1	A	Q	o	q
0	0	1	0	2	STX	DC2	"	2	B	R	b	r
0	0	1	1	3	E X	DC3	#	3	C	S	c	s
0	1	0	0	4	E T	DC4	\$	4	D	T	d	t
0	1	0	1	5	E NQ	NAK	%	5	E	U	e	u
0	1	1	0	6	ACK	SYN	&	6	F	V	f	v
0	1	1	1	7	E L	E TB	'	7	G	W	g	w
1	0	0	0	8	BS	CAN	(8	H	X	h	x
1	0	0	1	9	HT	E M)	9	I	Y	i	y
1	0	1	0	10	LF	SUB	*	:	J	Z	j	z
1	0	1	1	11	VT	E SC	+	;	K	[k	{
1	1	0	0	12	FF	FS	,	<	L	\	l	
1	1	0	1	13	CR	GS	-	=	M]	m	}
1	1	1	0	14	SO	RS	.	>	N	^	n	~
1	1	1	1	15	SI	US	/	?	O	_	o	E

Moving data is like delivering tomatoes



It's perishable

General Electric's
TermiNet* 300 printers deliver
data up to three times as fast
as conventional equipment



When you're communicating data, and it's not at your computer when you need it, it's practically worthless. That's why data communication equipment must be fast . . . reliably fast.

General Electric's electronic TermiNet printers give you the kind of reliability you need to keep you on line.

The kind of quietness and flexibility you want to get the most for your dollar invested. It's quieter than a standard typewriter . . . place it where the action is. Over 20 options can be added to keep you up-to-date with your system changes. Good reasons why 10,000 TermiNet printers have been sold to date.

If your data are becoming perishable things, write for detailed information on TermiNet printers: General Electric Company, Data Communication Products Department, Section 794-03, P. O. Box 4197, Lynchburg, Virginia 24502.

*Registered Trademark of
General Electric Company, U.S.A.

GENERAL  ELECTRIC

Moving data is like delivering tomatoes



It's perishable

General Electric's
TermiNet* 300 printers deliver
data up to three times as fast
as conventional equipment



When you're communicating data, and it's not at your computer when you need it, it's practically worthless. That's why data communication equipment must be fast . . . reliably fast.

General Electric's electronic TermiNet printers give you the kind of reliability you need to keep you on line.


The kind of quietness and flexibility you want to get the most for your dollar invested. It's quieter than a standard typewriter . . . place it where the action is. Over 20 options can be added to keep you up-to-date with your system changes. Good reasons why 10,000 TermiNet printers have been sold to date.

If your data are becoming perishable things, write for detailed information on TermiNet printers: General Electric Company, Data Communication Products Department, Section 794-03, P. O. Box 4197, Lynchburg, Virginia 24502.

*Registered Trademark of General Electric Company, U.S.A.

GENERAL  ELECTRIC

E




E




WHAT DO THEY HAVE IN
COMMON?

E



E








**THEY ARE ALL SEEN AND
UNDERSTOOD BY YOU.**



WAIT!



**“The Treachery
of Images” oil on
canvas by René
Magritte, 1929**



Ceci n'est pas une pipe.

Is this a pipe?



Ceci n'est pas une pipe.

NO!

Is this a pipe?



Ceci n'est pas une pipe.

Is this an image?



Ceci n'est pas un pipe.

YES!

Is this an image?



**“The Treachery
of Images”** oil on
canvas by René
Magritte, 1929



E




E

**PHOTOGRAPH, IMAGE, PICTURE,
SNAPSHOT, PORTRAIT, ...**



E

**ICON, LOGO, FIGURE,
REPRESENTATION, EMBLEM, ...**



**SIGN, CHARACTER, LETTER,
MARK, GRAPHEME, ...**



E

**MORE COMPLEX,
MORE REALISTIC,
MORE TREACHEROUS**

53

4

7




E

**THEY ARE ALL
SHOWN ON A SCREEN
AND SEEN BY YOU**

DIGITAL IMAGES

DIGITAL IMAGES



DIGITAL IMAGES



DIGITAL IMAGES












Zooming in on a digital image

- We end up with monochrome pixels organised into a rectangular [matrix](#)
- Pixel: portmanteau of “picture” and “element”
- A pixel is the smallest element in a digital image
- Matrix: a list of elements organised in a table with rows and columns







Zooming in on a physical object

- We end up with atoms
- Atom: term derived from ancient Greek “atomos”, which means indivisible
- An atom was thought to be the smallest entity matter is comprised of
- In the 20th century it became clear that an atom can indeed be divided into smaller entities

Digital images vs physical objects

Digital images

- Pixels are flat
- Pixels are organised in matrices
- Pixels have a colour
- Pixels form images



Physical objects

- Atoms are spheric
- Atoms are organised in complex structures of any shape
- Atoms do not have a colour (they are too small to have a colour)
- Atoms form objects

The physical universe

- Isn't everything that exists in the universe made of atoms anyway?
- Are digital images objects, too?

Not really



Not really


A digital image

- Can be viewed on a smartphone
- Can be viewed on a laptop
- Can be sent via email
- Can be viewed on a smartphone AND on a laptop at the same time


A physical object

- Can be put on the floor
- Can be put on a table
- Can be sent via mail
- CanNOT be on the floor AND on a table at the same time

However...



...both a laptop and a smartphone are physical objects, and without them we couldn't look at digital images.



Question time

- What is the real nature of digital images?
- They are not exactly like physical objects
- But we still need physical objects to look at digital images
- What kind of entity are digital images?

Digital <insert noun here>

- For an entity to be digital, that entity has to be described in terms of numbers
- A digital image, for instance, is an image described in terms of numbers




Where are the numbers?

0 1 2 3

1
2
3


The image can be put in a system of coordinates, so that each pixel's position is determined by a pair of numbers (x,y)




0 1 2 3

1
2
3

The image can be put in a system of coordinates, so that each pixel's position is determined by a pair of numbers (x,y)


 $(9,14)$



0 1 2 3

1
2
3


What about the pixel's colour?



Time for another zoom in




Monitor, magnified 300x




The origin of colours

- Physicists discovered that all coloured light can be split into three fundamental components: red light, green light, and blue light
- Monitors exploit this principle
- Monitors are rectangular matrices of triplets of LEDs (light emitting diodes): one red, one green, one blue
- By calibrating the luminosity of each LED in a triplet, we can make it emit any colour of the spectrum


Pure red



Pure blue




Violet



Colours and numbers


- Numbers can be used to indicate the strength of each component in the triplet
- The higher the number, the more component participates in the blend that produces the final result
- The most widespread standard specifies that these numbers go from 0 (no component) to 255 (full component)

Pure red




$(255, 0, 0)$

Pure blue



$(0,0,255)$

Violet




(255,0,255)

0 1 2 3

1
2
3

What about the pixel's colour?




0 1 2 3

1
2
3

What about the pixel's colour?

 (245,133,167)





(9,14) position

 (245,133,167) colour

x y r g b

□ (9,14,245,133,167)

(9,14,245,133,167)

Numbers describing a pixel

- Even if the pixel isn't there, the 5 numbers that describe its position within the image and its colour are enough to recreate the pixel whenever needed
- Applying the same technique to all the pixels of a digital image, we can describe a whole image with quintuplets of numbers, and we can use those quintuplets to rebuild the image whenever needed

(9,14,245,133,167)

(8,217) (8,87,245,133,167) (9,03,245,133,167) (9,18,245,133,167)
(8,152) (8,88,245,200,211) (9,04,245,133,167) (9,19,245,133,167)
(8,007) (8,89,245,150,167) (9,05,245,133,180) (9,20,245,133,167)
(8,098) (8,90,245,133,167) (9,06,245,133,167) (9,21,245,173,167)
(8,111) (8,91,245,133,167) (9,07,245,110,100) (9,22,215,133,167)
(8,167) (8,92,245,133,167) (9,08,245,133,200) (9,23,250,133,167)
(8,168) (8,93,245,099,001) (9,09,245,133,201) (9,24,245,133,167)
(8,122) (8,94,245,133,167) (9,10,251,133,167) (9,25,245,133,167)
(8,250) (8,95,245,133,167) (9,11,240,133,167) (9,26,245,133,167)
(8,077) (8,96,245,133,167) (9,12,245,133,088) (9,27,245,133,167)
(8,199) (8,97,245,133,167) (9,13,245,099,071) (9,28,245,133,167)
(8,023) (8,98,245,133,167) (9,14,245,133,167) (9,29,245,133,167)
(8,071) (8,99,245,133,167) (9,15,245,133,167) (9,30,245,133,167)
(8,185) (9,01,245,133,167) (9,16,245,099,121) (9,31,245,133,167)
(8,130) (9,02,245,133,167) (9,17,245,133,167) (9,32,245,133,167)

Digital images

- A digital image is an image described in terms of numbers
- Whoever has the numbers is able to rebuild that image
- This is what makes digital images different from physical objects: instead of moving around objects, we are moving around numbers

Working with numbers

- The special characteristics of digital images derive from the fact that we can work with numbers in many different ways



The need for hardware

- First of all, numbers alone cannot create anything
- We need apt machinery that is commanded by these numbers and creates physical objects accordingly
- In the case of digital images, we need monitors and screens (matrices of triplets of LEDs) that convert the RGB numbers into actual coloured light

The need for standards

- Moreover, for society to be able to work with numbers and use them to build images on different devices around the world, everybody must agree on the correspondence between numbers and pixels' position and colour
- A standard is a universal agreement between hardware builders and content producers on how the numbers will be used to describe images
- Famous standards are: RGB, JPG, BMP, TIF

USASCII code chart

<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; padding: 2px; margin-right: 5px; transform: rotate(-45deg); font-size: small;"> b7 b6 b5 Bits </div> <div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 5px;">→</div> <div style="margin-bottom: 5px;">→</div> <div style="margin-bottom: 5px;">→</div> </div> </div>					0 0 0	0 0 1	0 1 0	0 1 1	1 0 0	1 0 1	1 1 0	1 1 1
<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">b4 ↑</div> <div style="margin-right: 5px;">b3 ↑</div> <div style="margin-right: 5px;">b2 ↑</div> <div style="margin-right: 5px;">b1 ↑</div> <div style="border: 1px solid black; padding: 2px; transform: rotate(-45deg); font-size: small;"> Column Row ↓ </div> </div>	0	1	2	3	4	5	6	7				
0 0 0 0	0	NUL	DLE	SP	0	@	P	\	p			
0 0 0 1	1	SOH	DC1	!	1	A	Q	o	q			
0 0 1 0	2	STX	DC2	"	2	B	R	b	r			
0 0 1 1	3	ETX	DC3	#	3	C	S	c	s			
0 1 0 0	4	EOT	DC4	\$	4	D	T	d	t			
0 1 0 1	5	ENQ	NAK	%	5	E	U	e	u			
0 1 1 0	6	ACK	SYN	&	6	F	V	f	v			
0 1 1 1	7	BEL	ETB	'	7	G	W	g	w			
1 0 0 0	8	BS	CAN	(8	H	X	h	x			
1 0 0 1	9	HT	EM)	9	I	Y	i	y			
1 0 1 0	10	LF	SUB	*	:	J	Z	j	z			
1 0 1 1	11	VT	ESC	+	;	K	[k	{			
1 1 0 0	12	FF	FS	,	<	L	\	l				
1 1 0 1	13	CR	GS	-	=	M]	m	}			
1 1 1 0	14	SO	RS	.	>	N	^	n	~			
1 1 1 1	15	SI	US	/	?	O	_	o	DEL			

The physical universe and more


- Isn't everything that exists in the universe made of atoms anyway?
- No: an agreement between people is not made of atoms
- The hardware that allows for the creation of digital images is indeed comprised of physical objects
- However, the standards that make the exchange of digital images among people and devices are not physical

Being digital


- It is possible to describe an entity in terms of numbers
- These numbers can be exchanged among people, possibly with the support of computers and telecommunication networks
- The format of these numbers must be established by universally shared standards
- Special devices are needed to create physical objects from their numerical description

USASCII code chart


Bits				Column	0	1	2	3	4	5	6	7
b ₄	b ₃	b ₂	b ₁	Row	0	1	2	3	4	5	6	7
0	0	0	0	0	NUL	DLE	SP	0	@	P	\	p
0	0	0	1	1	SOH	DC1	!	1	A	Q	a	q
0	0	1	0	2	STX	DC2	"	2	B	R	b	r
0	0	1	1	3	ETX	DC3	#	3	C	S	c	s
0	1	0	0	4	EOT	DC4	\$	4	D	T	d	t
0	1	0	1	5	ENQ	NAK	%	5	E	U	e	u
0	1	1	0	6	ACK	SYN	&	6	F	V	f	v
0	1	1	1	7	BEL	ETB	'	7	G	W	g	w
1	0	0	0	8	BS	CAN	(8	H	X	h	x
1	0	0	1	9	HT	EM)	9	I	Y	i	y
1	0	1	0	10	LF	SUB	*	:	J	Z	j	z
1	0	1	1	11	VT	ESC	+	;	K	[k	(
1	1	0	0	12	FF	FS	,	<	L	\	l	l
1	1	0	1	13	CR	GS	-	=	M]	m)
1	1	1	0	14	SO	RS	.	>	N	^	n	~
1	1	1	1	15	SI	US	/	?	O	_	o	DEL




E




E





E



E





